# SilverPack 2000

## Packaging machine



**APITAL d.o.o.**
Braće Radić 30, 10340 Vrbovec, Croatia
info@apital.eu | +385 91 2020 130
www.apital.eu

**APITAL d.o.o.** is a Croatian manufacturing company specializing in the **design and production of stainless-steel machinery and complete industrial solutions**.

## Our Production Program

We manufacture a wide range of machinery, including:

- Food processing machinery, with a strong focus on fruit processing
- Packaging and filling machines for various types of products
- Beekeeping machinery and custom constructions
- Auxiliary and custom-made equipment

## Complete Processing & Packaging Solutions

In addition to individual machines, we deliver fully integrated production lines, such as:

- Juice production lines
- Filling lines for juice, honey, and jams
- Honey extraction lines
- Automatic beeswax foundation machines

Our diverse product portfolio enables us to equip complete production facilities, from small-scale operations to industrial plants.

## Engineering Expertise & Quality

Our manufacturing process is supported by a multidisciplinary team of mechanical, electrical, and IT engineers, ensuring seamless integration, technical excellence, and the ability to deliver even the most complex and demanding systems.

Our commitment to high quality, reliability, and sustainable manufacturing is confirmed by our ISO 9001 and ISO 14001 certifications.

## Why choose APITAL?

- High performance. Sensible cost.
- Big enough to build complex machines. Small enough to listen and adapt.
- Designed for fast cleaning and easy maintenance.
- Simplicity is reliability. Fewer parts mean fewer problems.
- Designed to minimize footprint — because production space is a valuable resource.

APITAL d.o.o.
web: www.apital.eu
e-mail: info@apital.eu
phone: 00 385 91 2020 130

# SilverPack 2000 - Packaging machine

is an excellent solution for precise and efficient packaging of various products such as nuts, legumes, grains, and pasta. Thanks to its electro-pneumatic drive, it provides stable and reliable operation with a weighing range from 20 grams to 2 kilograms. The filler operates on a semi-automatic principle, and the desired weight is easily set via a digital controller. The packaging process runs at two speeds, with the device automatically slowing down as it approaches the target weight, ensuring high filling accuracy.



The measured product is dispensed into bags, jars, or boxes by simply pressing a foot pedal, which opens the discharge container holding the pre-weighed portion.

For additional flexibility, the filler can be connected to multiple units feeding the same discharge container or integrated with a conveyor belt for continuous filling.
This model is an ideal solution for production facilities that require a reliable, adaptable, and easy-to-use system for precise packaging.

- The packing machine is a reliable solution for precise and efficient packaging of various products, tailored to the needs of small and medium-sized production facilities.
- An electro-pneumatic system with FESTO components ensures stable, consistent, and precise operation with high reliability.
- The semi-automatic operating principle with simple parameter adjustment enables easy and fast handling.
- The functional design allows operation with different types of packaging, using simple control via a foot pedal.
- Direct manufacturer support and service throughout the operational lifetime of the machine.

APITAL d.o.o.
web: www.apital.eu
e-mail: info@apital.eu
phone: 00 385 91 2020 130

**Technical description:**

- Dimensions: 1705 × 695 × 737 mm
- Material: Stainless steel
- Drive: Electro-pneumatic
- Power supply: 230 V
- Weighing range: from 20 g to 2 kg



**Utility requirements:**

- Electrical supply: Schuko socket, 230 V, single-phase
- Compressed air (recommended 6 bar)

**Offer:**

| | | |
|---|---|---|
| 50301 | Packaging machine | **SilverPack 2000** |

**Optional / Spare parts:**

| | | | |
|---|---|---|---|
| | Different weighing ranges – smaller and bigger | | Per request |
| | Different kind of hoopers | | Per request |
| | Belt dosing instead of a vibro table for heterogeneous materials | | Per request |
| | Automatic hooper filling system with elevator | | Per request |

**Delivery Terms:** Ex works (pickup at our facility in Vrbovec) or delivery by agreement


**Typical lead time:** 6 – 8 weeks from order confirmation

**Payment Terms:** 30% in advance, remaining amount before delivery

**Warranty period**: 2 years

**Made in the European Union – Croatia, City of Vrbovec**

APITAL d.o.o.
web: www.apital.eu
e-mail: info@apital.eu
phone: 00 385 91 2020 130




APITAL d.o.o.
web: www.apital.eu
e-mail: info@apital.eu
phone: 00 385 91 2020 130